



Single Line Wall Mounted Guide Rail

SLW Single Line Wall Mounted Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
SLW-A	36"	30"
SLW-B	36"	36"
SLW-C	42"	30"
SLW-D	42"	36"
SLW-S	custom	custom




NOTE: The SLW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	SLW-C (42" x 30")	Clear
4	SLW-D (42" x 36")	Bronze

Double Line Wall Mounted Guide Rail

DLW Double Line Wall Mounted Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
DLW-A	36"	30"
DLW-B	36"	36"
DLW-C	42"	30"
DLW-D	42"	36"
DLW-E	48"	30"
DLW-F	48"	36"
DLW-S	custom	custom




NOTE: The DLW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	DLW-C (42" x 30")	Clear
4	DLW-D (42" x 36")	Bronze

Double Line Free-Standing Guide Rail

DLF Double Line Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
DLF-A	36"	30"
DLF-B	36"	36"
DLF-C	42"	30"
DLF-D	42"	36"
DLF-E	48"	30"
DLF-F	48"	36"
DLF-S	custom	custom




NOTE: The DLF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	DLF-C (42" x 30")	Clear
4	DLF-D (42" x 36")	Bronze

Double Line "I Brace" Wall Mounted Guide Rail

DLIW Double Line "I Brace" Wall Mounted Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
DLIW-A	36"	30"
DLIW-B	36"	36"
DLIW-C	42"	30"
DLIW-D	42"	36"
DLIW-E	48"	30"
DLIW-F	48"	36"
DLIW-S	custom	custom




NOTE: The DLIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	DLIW-C (42" x 30")	Clear
4	DLIW-D (42" x 36")	Bronze

Double Line "I-Brace" Free-Standing Guide Rail

DLIF Double Line "I-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
DLIF-A	36"	30"
DLIF-B	36"	36"
DLIF-C	42"	30"
DLIF-D	42"	36"
DLIF-E	48"	30"
DLIF-F	48"	36"
DLIF-S	custom	custom




NOTE: The DLIF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	DLIF-C (42" x 30")	Clear
4	DLIF-D (42" x 36")	Bronze

Double Horizontal Line Wall Mounted Guide Rail

DHLW Double Horizontal Line Wall Mounted Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
DHLW-A	36"	30"
DHLW-B	36"	36"
DHLW-C	42"	30"
DHLW-D	42"	36"
DHLW-E	48"	30"
DHLW-F	48"	36"
DHLW-S	custom	custom




NOTE: The DHLW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	DHLW-C (42" x 30")	Clear
4	DHLW-D (42" x 36")	Bronze

Expanded Aluminum Mesh "I-Brace" Guide Rail

MIW Expanded Aluminum Mesh "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
MIW-A	36"	30"
MIW-B	36"	36"
MIW-C	42"	30"
MIW-D	42"	36"
MIW-E	48"	30"
MIW-F	48"	36"
MIW-S	custom	custom




NOTE: The MIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	MIW-C (42" x 30")	Clear
4	MIW-D (42" x 36")	Bronze

Expanded Aluminum Mesh "I-Brace" Free-Standing Guide Rail

MIF Expanded Aluminum Mesh "I-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
MIF-A	36"	30"
MIF-B	36"	36"
MIF-C	42"	30"
MIF-D	42"	36"
MIF-E	48"	30"
MIF-F	48"	36"
MIF-S	custom	custom




NOTE: The MIF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	MIF-C (42" x 30")	Clear
4	MIF-D (42" x 36")	Bronze

Expanded Aluminum Mesh "Cross-Brace" Guide Rail

MXW Expanded Aluminum Mesh "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
MXW-A	36"	30"
MXW-B	36"	36"
MXW-C	42"	30"
MXW-D	42"	36"
MXW-E	48"	30"
MXW-F	48"	36"
MXW-S	custom	custom




NOTE: The MXW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	MXW-C (42" x 30")	Clear
4	MXW-D (42" x 36")	Bronze

Expanded Aluminum Mesh "Cross-Brace" Free-Standing Guide Rail

MXF Expanded Aluminum Mesh "Cross-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
MXF-A	36"	30"
MXF-B	36"	36"
MXF-C	42"	30"
MXF-D	42"	36"
MXF-E	48"	30"
MXF-F	48"	36"
MXF-S	custom	custom




NOTE: The MXF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	MXF-C (42" x 30")	Clear
4	MXF-D (42" x 36")	Bronze

Aluminum Plexiglas Panel "I-Brace" Guide Rail

PLIW Aluminum Plexiglas Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PLIW-A	36"	30"
PLIW-B	36"	36"
PLIW-C	42"	30"
PLIW-D	42"	36"
PLIW-E	48"	30"
PLIW-F	48"	36"
PLIW-S	custom	custom




NOTE: The PLIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PLIW-C (42" x 30")	Clear
4	PLIW-D (42" x 36")	Bronze

Aluminum Plexiglas Panel "I-Brace" Free-Standing Guide Rail

PLIF Aluminum Plexiglas Panel "I-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PLIF-A	36"	30"
PLIF-B	36"	36"
PLIF-C	42"	30"
PLIF-D	42"	36"
PLIF-E	48"	30"
PLIF-F	48"	36"
PLIF-S	custom	custom




NOTE: The PLIF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	PLIF-C (42" x 30")	Clear
4	PLIF-D (42" x 36")	Bronze

Aluminum Plexiglas Panel "Cross-Brace" Guide Rail

PLXW Aluminum Plexiglas Panel "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PLXW-A	36"	30"
PLXW-B	36"	36"
PLXW-C	42"	30"
PLXW-D	42"	36"
PLXW-E	48"	30"
PLXW-F	48"	36"
PLXW-S	custom	custom




NOTE: The PLXW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	PLXW-C (42" x 30")	Clear
4	PLXW-D (42" x 36")	Bronze

Aluminum Plexiglas Panel "Cross-Brace" Free-Standing Guide Rail

PLXF Aluminum Plexiglas Panel "Cross-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PLXF-A	36"	30"
PLXF-B	36"	36"
PLXF-C	42"	30"
PLXF-D	42"	36"
PLXF-E	48"	30"
PLXF-F	48"	36"
PLXF-S	custom	custom




NOTE: The PLXF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PLXF-C (42" x 30")	Clear
4	PLXF-D (42" x 36")	Bronze

Aluminum Omega-Ply Panel "I-Brace" Guide Rail

PIW Aluminum Omega-Ply Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PIW-A	36"	30"
PIW-B	36"	36"
PIW-C	42"	30"
PIW-D	42"	36"
PIW-E	48"	30"
PIW-F	48"	36"
PIW-S	custom	custom




NOTE: The PIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	PIW-C (42" x 30")	Clear
4	PIW-D (42" x 36")	Bronze

Aluminum Omega-Ply Panel "I-Brace" Free-Standing Guide Rail

PIF Aluminum Omega-Ply Panel "I-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PIF-A	36"	30"
PIF-B	36"	36"
PIF-C	42"	30"
PIF-D	42"	36"
PIF-E	48"	30"
PIF-F	48"	36"
PIF-S	custom	custom




NOTE: The PIF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PIF-C (42" x 30")	Clear
4	PIF-D (42" x 36")	Bronze

Aluminum Omega-Ply Panel "Cross-Brace" Guide Rail

PXW Aluminum Omega-Ply Panel "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PXW-A	36"	30"
PXW-B	36"	36"
PXW-C	42"	30"
PXW-D	42"	36"
PXW-E	48"	30"
PXW-F	48"	36"
PXW-S	custom	custom




NOTE: The PXW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	PXW-C (42" x 30")	Clear
4	PXW-D (42" x 36")	Bronze

Aluminum Omega-Ply Panel "Cross-Brace" Free-Standing Guide Rail

PXF Aluminum Omega-Ply Panel "Cross-Brace" Free-Standing Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PXF-A	36"	30"
PXF-B	36"	36"
PXF-C	42"	30"
PXF-D	42"	36"
PXF-E	48"	30"
PXF-F	48"	36"
PXF-S	custom	custom




NOTE: The PXF is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PXF-C (42" x 30")	Clear
4	PXF-D (42" x 36")	Bronze

Aluminum Horizontal Holding Beam Guide Rail

HOW Aluminum Horizontal Holding Beam Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HOW-A	36"	30"
HOW-B	36"	36"
HOW-C	42"	30"
HOW-D	42"	36"
HOW-E	48"	30"
HOW-F	48"	36"
HOW-S	custom	custom




NOTE: The HOW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	HOW-C (42" x 30")	Clear
4	HOW-D (42" x 36")	Bronze

Aluminum Mesh Panel "I-Brace" Holding Beam Guide Rail

HMIW Aluminum Mesh Panel "I-Brace" Holding Beam Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HMIW-A	36"	30"
HMIW-B	36"	36"
HMIW-C	42"	30"
HMIW-D	42"	36"
HMIW-E	48"	30"
HMIW-F	48"	36"
HMIW-S	custom	custom




NOTE: The HMIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	HMIW-C (42" x 30")	Clear
4	HMIW-D (42" x 36")	Bronze

Aluminum Plexiglas "I-Brace" Holding Beam Guide Rail

HPLIW Aluminum Plexiglas "I-Brace" Holding Beam Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HPLIW-A	36"	30"
HPLIW-B	36"	36"
HPLIW-C	42"	30"
HPLIW-D	42"	36"
HPLIW-E	48"	30"
HPLIW-F	48"	36"
HPLIW-S	custom	custom




NOTE: The HPLIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	HPLIW-C (42" x 30")	Clear
4	HPLIW-D (42" x 36")	Bronze

Aluminum Omega-Ply Panel "I-Brace" Holding Beam Guide Rail

HPIW Aluminum Omega-Ply Panel "I-Brace" Holding Beam Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HPIW-A	36"	30"
HPIW-B	36"	36"
HPIW-C	42"	30"
HPIW-D	42"	36"
HPIW-E	48"	30"
HPIW-F	48"	36"
HPIW-S	custom	custom




NOTE: The HPIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	HPIW-C (42" x 30")	Clear
4	HPIW-D (42" x 36")	Bronze

Aluminum "Push Button" Wall Mounted Guide Rail

PBOW Aluminum "Push Button" Wall Mounted Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PBOW-A	36"	30"
PBOW-B	36"	36"
PBOW-C	42"	30"
PBOW-D	42"	36"
PBOW-E	48"	30"
PBOW-F	48"	36"
PBOW-S	custom	custom




NOTE: The PBOW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PBOW-C (42" x 30")	Clear
4	PBOW-D (42" x 36")	Bronze

Aluminum "Push Button" Omega-Ply Panel "I-Brace" Guide Rail

PBPIW Aluminum "Push Button" Omega-Ply Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
PBPIW-A	36"	30"
PBPIW-B	36"	36"
PBPIW-C	42"	30"
PBPIW-D	42"	36"
PBPIW-E	48"	30"
PBPIW-F	48"	36"
PBPIW-S	custom	custom




NOTE: The PBPIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	PBPIW-C (42" x 30")	Clear
4	PBPIW-D (42" x 36")	Bronze

Aluminum Handicap "Push Plate" Guide Rail

HAOW Aluminum Handicap "Push Plate" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HAOW-A	36"	42"
HAOW-B	42"	42"
HAOW-C	48"	42"
HAOW-S	custom	custom




NOTE: The HAOW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	HAOW-C (48" x 42")	Clear
4	HAOW-B (42" x 42")	Bronze

Aluminum Handicap "Push Plate" Omega-Ply Panel "I-Brace" Guide Rail

HAPIW Aluminum Handicap "Push Plate" Omega-Ply Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
HAPIW-A	36"	42"
HAPIW-B	42"	42"
HAPIW-C	48"	42"
HAPIW-S	custom	custom




NOTE: The HAPIW is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶

Quantity	Part Number	Finish
2	HAPIW-B (42" x 42")	Clear
4	HAPIW-C (48" x 42")	Bronze

Double Line Wall Mounted Guide Rail with Vinyl Rail Guard

DLW Double Line Wall Mounted Guide Rail with Vinyl Guard



Part Number	Horizontal Dimension	Vertical Dimension
DLW-A	36"	30"
DLW-B	36"	36"
DLW-C	42"	30"
DLW-D	42"	36"
DLW-E	48"	30"
DLW-F	48"	36"
DLW-S	custom	custom


NOTE: The DLW is manufactured from 1/2" x 1-1/2" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING
EXAMPLE ▶

Quantity	Part Number	Finish
2	DLW-C (42" x 30")	Clear
4	DLW-D (42" x 36")	Bronze

Double Line Free-Standing Guide Rail with Vinyl Rail Guard

DLVF Double Line Free-Standing Guide Rail with Vinyl Rail Guard



Part Number	Horizontal Dimension	Vertical Dimension
DLVF-A	36"	30"
DLVF-B	36"	36"
DLVF-C	42"	30"
DLVF-D	42"	36"
DLVF-E	48"	30"
DLVF-F	48"	36"
DLVF-S	custom	custom


NOTE: The DLVF is manufactured from 1/2" x 1-1/2" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	DLVF-C (42" x 30")	Clear
4	DLVF-D (42" x 36")	Bronze

Wall to Wall Aluminum Mesh "I-Brace" Guide Rail

WWMI Wall to Wall Aluminum Mesh "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWMI-A	96"	30"
WWMI-B	96"	36"
WWMI-C	144"	30"
WWMI-D	144"	36"
WWMI-S	custom	custom




NOTE: The WWMI is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	WWMI-C (144" x 30")	Clear
4	WWMI-D (144" x 36")	Bronze

Wall to Wall Aluminum Mesh "Cross-Brace" Guide Rail

WWMX Wall to Wall Aluminum Mesh "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWMX-A	96"	30"
WWMX-B	96"	36"
WWMX-C	144"	30"
WWMX-D	144"	36"
WWMX-S	custom	custom




NOTE: The WWMX is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	WWMX-C (144" x 30")	Clear
4	WWMX-D (144" x 36")	Bronze

Wall to Wall Omega-Ply Panel "I-Brace" Guide Rail

WWPI Wall to Wall Omega-Ply Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWPI-A	96"	30"
WWPI-B	96"	36"
WWPI-C	144"	30"
WWPI-D	144"	36"
WWPI-S	custom	custom




NOTE: The WWPI is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	WWPI-C (144" x 30")	Clear
4	WWPI-D (144" x 36")	Bronze

Wall to Wall Omega-Ply Panel "Cross-Brace" Guide Rail

WWPX Wall to Wall Omega-Ply Panel "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWPX-A	96"	30"
WWPX-B	96"	36"
WWPX-C	144"	30"
WWPX-D	144"	36"
WWPX-S	custom	custom




NOTE: The WWPX is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE


Quantity	Part Number	Finish
2	WWPX-C (144" x 30")	Clear
4	WWPX-D (144" x 36")	Bronze

Wall to Wall Plexiglas Panel "I-Brace" Guide Rail

WWPLI Wall to Wall Plexiglas Panel "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWPLI-A	96"	30"
WWPLI-B	96"	36"
WWPLI-C	144"	30"
WWPLI-D	144"	36"
WWPLI-S	custom	custom




NOTE: The WWPLI is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	WWPLI-C (144" x 30")	Clear
4	WWPLI-D (144" x 36")	Bronze

Wall to Wall Plexiglas Panel "Cross-Brace" Guide Rail

WWPLX Wall to Wall Plexiglas Panel "Cross-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWPLX-A	96"	30"
WWPLX-B	96"	36"
WWPLX-C	144"	30"
WWPLX-D	144"	36"
WWPLX-S	custom	custom




NOTE: The WWPLX is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	WWPLX-C (42" x 30")	Clear
4	WWPLX-D (42" x 36")	Bronze

Wall to Wall Aluminum Double Line Guide Rail

WWDL Wall to Wall Aluminum Double Line Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWDL-A	96"	30"
WWDL-B	96"	36"
WWDL-C	144"	30"
WWDL-D	144"	36"
WWDL-S	custom	custom




NOTE: The WWDL is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶


Quantity	Part Number	Finish
2	WWDL-C (42" x 30")	Clear
4	WWDL-D (42" x 36")	Bronze

Wall to Wall Double Line "I-Brace" Guide Rail

WWDLI Wall to Wall Double Line "I-Brace" Guide Rail



Part Number	Horizontal Dimension	Vertical Dimension
WWDLI-A	96"	30"
WWDLI-B	96"	36"
WWDLI-C	144"	30"
WWDLI-D	144"	36"
WWDLI-S	custom	custom




NOTE: The WWDLI is manufactured from 1/2" x 1-3/4" anodized aluminum extrusion. Each shipped with aircraft-quality, solid cast "Tensaloy" boot and all necessary installation hardware.

ORDERING EXAMPLE ▶

Quantity	Part Number	Finish
2	WWDLI-C (144" x 30")	Clear
4	WWDLI-D (144" x 36")	Bronze

Stainless Steel Tubular Guide Rail

Stainless Steel Tubular Guide Rail*



Part Number	Horizontal Dimension	Vertical Dimension
STGR-A	48"	30"-36"
STGR-B	48"	30"-36"
STGR-C	48"	30"-36"
STGR-D	48"	30"-36"
STGR-E	48"	30"-36"
STGR-F	48"	30"-36"
STGR-S	custom	custom

NOTE:
Stainless Steel Tubular Guide Rails are manufactured from 1-3/4" O.D. or 1-7/8" O.D. and are finished with #8 mirror polish or satin finish.
Escutcheon plates, floor plates and roller bumper are available upon request for an additional charge.

*Vertical rail extension for in-ground installation is 4"
State if Escutcheon plates are required

ORDERING EXAMPLE

Qty	Part Number	Rail Dia.	Application	Finish
2	STGR-A (48" x 30")	1-3/4"	Surface Mount	Satin
4	STGR-A (48" x 36")	1-7/8"	In Ground	#8